

# MATERIAL SAFETY DATA SHEET

PRODUCT: BUILT DETERGENT

PRODUCT NO. 149.00

## SAVIN PRODUCTS COMPANY, INC

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Built Detergent

Emergency phone: Chemtrec: 800-424-9300

Product Information: 781-961-2744

Company: SAVIN PRODUCTS COMPANY, INC.  
214 HIGH STREET  
RANDOLPH, MA 02368

Date Prepared: 12-3-09

Supersedes: New

Prepared by: JAS

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS No.</u>	<u>Exposure Limits</u>	<u>Typical % by Weight</u>
1. Potassium Hydroxide	1310-58-3	TLV ppm; 2 mg/m3 ACGIH OSHA PEL None	10 - 20
2. Tetrapotassium Pyrophosphate	7320-34-5	N/A	1 - 10
3. Sodium Polyacrylate	9003-04-7	N/A	1 - 10
4. Nonylphenol Ethoxylate	9016-45-9	N/A	5 - 15
5. Disodium Cocoamphodipropionate	68604-71-7	N/A	1 - 10
7. Sodium xylenesulfonate	1300-72-7	N/A	1 - 10

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**DANGER: CORROSIVE.** Causes eye burns. May cause skin damage with prolonged contact. Inhalation of mist can cause damage to respiratory tract. Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing mist. Do not take internally.

EFFECTS of OVEREXPOSURE:

CARCINOGENICITY:

NTP: No

IARC: No

OSHA: No

EYES: CORROSIVE. Causes eye burns.

SKIN: Repeated or prolonged contact may cause skin burns.

INHALATION: Mist can cause damage to mucous membranes and respiratory tract.

INGESTION: Harmful if swallowed. Can result in damage to mouth, throat, esophagus and stomach.

CHRONIC EFFECTS and MEDICAL CONDITIONS: The effects of long-term, low-level exposures to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all effects from repetitive acute exposure. This product may aggravate existing eye, skin and respiratory conditions.

# MATERIAL SAFETY DATA SHEET

PRODUCT: BUILT DETERGENT

PRODUCT NO. 149.00

## 4. FIRST AID MEASURES

**EYES:** Flush with copious amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Get immediate medical attention.

**SKIN:** Immediately flush with water. Remove contaminated clothing. Launder contaminated clothing before reuse.

**INHALATION:** Remove to fresh air. If breathing is difficult, oxygen may be given, preferably with a physician's advice. If not breathing, give artificial respiration. Get medical attention.

**INGESTION:** If swallowed, give several glasses of water. Do not induce vomiting. If vomiting does occur, give fluids again and keep head below hips to help prevent aspiration. Do not give anything by mouth to an unconscious person. Get immediate medical attention.

## 5. FIRE FIGHTING MEASURES

### FLAMMABLE PROPERTIES:

Flash Point: >200 F                      Test: SETA CC. ASTM D-3278

Explosive Limits:    LEL: N/A                      UEL: N/A

**EXTINGUISHING MEDIA:** Use procedures appropriate to surrounding fire..

**SPECIAL PROCEDURES & UNUSUAL HAZARDS:** Not Combustible under test conditions, however large spills in a confined area may produce combustible vapors. Use water to deluge spill and cool containers.

**FIREFIGHTING INSTRUCTIONS:** Firefighters should wear NIOSH approved, positive pressure, self-contained breathing apparatus and full protective clothing when appropriate.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILLS:** Soak up small spills with inert solids. Use suitable disposal container.

**LARGE SPILLS:** Limit access to area. Dike and contain spill with inert material (sand, earth, etc.) and transfer the liquid and solid separately to containers for recovery or disposal. Keep spill out of sewers and open bodies of water. **CAUTION:** Floor may become slippery.

## 7. HANDLING AND STORAGE

Handle according to good manufacturing and warehousing practices. Use good personal hygiene practices. Wash hand before eating, drinking, smoking or using toilet facilities. Promptly remove soiled clothing and wash thoroughly before reuse. Store only in tightly closed containers away from heat, strong acids and reactive metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**EYE PROTECTION:** Avoid splashing. Wear chemical-resistant safety goggles if necessary. Contact lenses must not be worn.

**PROTECTIVE GLOVES:** Depending on conditions of use, protective gloves, apron, boots, head and face protection should be worn. This equipment should be cleaned thoroughly after each use.

**RESPIRATORY PROTECTION:** No occupational exposure standards have been developed for this material. Where exposure through inhalation may occur from use, NIOSH/MSHA approved respiratory protection equipment is recommended.

**VENTILATION:** Ventilation is required in case of mist conditions. Either local exhaust or general room ventilation is usually adequate.

**OTHER PROTECTIVE EQUIPMENT:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Clear, pale-yellow, thin, foamy liquid.

**BOILING POINT:** approx. 100C @ 1ATM

**FREEZE/MELT POINT:** approx. 0C

**VAPOR PRESSURE (mm):** approx. 10 mm Hg @ 70F

**VAPOR DENSITY (air=1):** Not determined.

**EVAPORATION RATE:** approx. water

**SOLUBILITY IN WATER:** Complete.

**SPECIFIC GRAVITY:** 1.236 @ 20C

**DENSITY:** 10.32 lbs/gal

**pH( 10% soln):** 13.0

**ODOR:** Mild.

# MATERIAL SAFETY DATA SHEET

PRODUCT: BUILT DETERGENT

PRODUCT NO. 149.00

## 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY (CONDITIONS TO AVOID): Keep away from reactive metals.  
INCOMPATIBILITY: Strong acids.  
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide and Hydrogen gas resulting from contact with reactive metals and other toxic gases.  
HAZARDOUS POLYMERIZATION: None.

## 11. TOXICOLOGICAL INFORMATION

No LD50 or LC50 found for oral, dermal or inhalation routes of administration.

## 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL/CHEMICAL FATE INFORMATION: Toxic to aquatic life. Phosphorous Content <1%

## 13. DISPOSAL CONSIDERATIONS

RCRA: This product, if disposed as shipped, is considered a hazardous waste as specified in 40 CFR 261. Dilute solutions with a pH of >12.0 are considered hazardous according to 40 CFR 261.22. Dispose in accordance with all applicable federal, state and local regulations.

## 14. TRANSPORT INFORMATION

SHIPPING NAME: CORROSIVE LIQUIDS, n.o.s. (Potassium Hydroxide)  
HAZARD CLASS: 8  
ID #: UN1760  
PACKING GROUP: III  
LABEL: CORROSIVE

## 15. REGULATORY INFORMATION

This material does not contain nor was it manufactured using ozone-depleting chemicals.

### U.S. FEDERAL REGULATIONS:

TSCA STATUS: All ingredients on Toxic Substance Control Act Inventory.

CERCLA REPORTABLE QUANTITY: Potassium Hydroxide - 1000 lbs

### SARA TITLE III:

Section 302 Extremely Hazardous Substances:	None.
Section 311/312 Hazardous Chemical Category	Immediate(acute)
Section 313 Toxic Chemicals:	None

## 16. OTHER INFORMATION

All label precautions must be observed when handling, storing and transporting empty containers due to product residues. Do not reuse this container unless it is professionally cleaned and reconditioned.

### REFERENCES:

- US Dept of Health And Human Services, Center for Disease Control: NIOSH Pocket Guide to Chemical Hazards
- U.S. Dept. of Health and Human Services, NIOSH: Registry of Toxic Effects of Chemical Substances, 1985-86 Edition.
- Sax, N. Irving and Lewis, R.J.: Dangerous Properties of Industrial Materials, 7th Edition, Van Nostrand Reinhold Co., 1989.
- Lewis, R.J.: Hawley's Condensed Chemical Dictionary, 12th Edition, Van Nostrand Reinhold Co., 1993.
- U.S. Dept. of Transportation, U.S. Coast Guard: CHRIS Hazardous Chemical Data, 1982.
- U.S. Dept. of Labor, OSHA: Air Contaminants - Permissible Exposure Limits, 1989.
- National Fire Protection Association (NFPA): Fire Protection Guide on Hazardous Materials (NFPA 325M/49/491M/704), 9th Edition, 1986.
- National Fire Protection Association (NFPA): Hazardous Materials Response Handbook, Henry, M.F., Editor, 1989.
- Merck & Co., Inc.: The Merck Index, 11th Edition, 1989.

Information herein is given in good faith as authoritative and valid; no warranty, express or implied can be made.